AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of claims:

- 1. (original) A method for regulating the expression of a gene of interest in a host cell that comprises a CodY-like protein comprising providing said cell with a gene of interest in operable linkage with a promoter and at least one CodY target sequence.
- 2. (original) A method according to claim 1, wherein said promoter and/or said CodY target sequence is heterologous with regard to said gene of interest.
- 3. (currently amended) **A** <u>The</u> method according to claim 1 or **2**, wherein said CodY target sequence is heterologous with regard to said promoter.
- 4. (currently amended) A <u>The</u> method according to any one of claims 1 to 3 claim 1, wherein said gene of interest is a gene from a gram-positive bacterium.
- 5. (currently amended) A <u>The</u> method according to any one of claims1 to 4 claim 1, wherein said gene of interest encodes a protease or a peptidase or an

anti-microbial peptide or a vitamin.

- 6. (currently amended) A <u>The</u> method according to <u>any one of claims 1 to 5</u>

 <u>claim 1</u>, wherein said CodY target sequence comprises a sequence as depicted in Figure 6A or a functional equivalent and/or a functional fragment thereof.
- 7. (currently amended) A The method according to any one of claims 1-6

 claim 1, wherein said CodY target sequence comprises a sequence as depicted in Figure 6B or a functional equivalent and/or a functional fragment thereof.
- 8. (currently amended) **A** <u>The</u> method according to <u>any one of claims1-7</u> <u>claim 1</u>, wherein said CodY target sequence comprises a sequence as depicted in Table 4, Table 4A, Table 5, Table 6, Table 7 and/or Table 8, or a functional equivalent and/or a functional fragment thereof.
- 9. (currently amended) A The method according to any one of claims1-8

 claim 1, wherein said CodY target sequence comprises an ATGTTCA sequence
 and an inversely repeated ATGTTCA sequence.
- 10. (currently amended) **A The** method according to claim 9, wherein said nucleic acid sequence comprises a spacing of about 9 base pairs between said ATGTTCA sequence and said inversely repeated ATGTTCA sequence.

- 11. (currently amended) A The method according to claim 9 or 10, wherein said nucleic acid sequence comprises the sequence

 ATGTTCAGAAAATTCATGAACAT.
- 12. (currently amended) A <u>The</u> method according to any one of claims 1 to 11 claim 1, further comprising influencing the binding between said CodY-like protein and said at least one CodY target sequence.
- 13. (currently amended) **A** <u>The</u> method according to claim 12, wherein said binding is regulated by subjecting said cell to a change in a growth condition.
- 14. (currently amended) A <u>The</u> method according to claim 12 or 13, wherein said binding is regulated by subjecting said cell to a growth limiting condition.
- 15. (currently amended) **A** <u>The</u> method according to claim 14, wherein said growth limiting condition is a limited availability of a nitrogen source.
- 16. (currently amended) A <u>The</u> method according to any one of claims 1 to 15 claim 1, wherein said host cell is a cell from a (dairy) food production species.
- 17. (currently amended) A <u>The</u> method according to claim 16, wherein said species is selected from a Lactococcus or Lactobacillus or Streptococcus or

Leuconostocor Pediococcus or Bifidobacterium or Carnobacterium or Propionibacterium.

- 18. (currently amended) A <u>The</u> method according to <u>any one of claims 1 to 17</u> <u>claim 1</u>, wherein said host cell is provided with a nucleic acid encoding a CodY-like protein.
- 19. (original) An isolated or recombinant nucleic acid that comprises at least one CodY target sequence or a functional fragment and/or a functional equivalent thereof.
- 20. (currently amended) **A The** nucleic acid according to claim 19, further comprising a promoter in operable linkage with a gene of interest.
- 21. (currently amended) A <u>The</u> nucleic acid according to claim 19 or 20 further comprising a gene encoding a CodY-like protein.
- 22. (currently amended) A <u>The</u> nucleic acid according to claim 20 or 21, wherein said promoter and/or said at least one CodY target sequence is heterologous with regard to said gene of interest.
- 23. (currently amended) A The nucleic acid according to any one of claims 20

to 22, wherein said CodY target sequence is heterologous with regard to said promoter.

24. (currently amended) A <u>The</u> nucleic acid according to any one of claims 20 to 23 <u>claim 20</u>, wherein said gene of interest is a gene from a gram-positive bacterium.

25. (currently amended) A <u>The</u> nucleic acid according to <u>any one of claims 20</u> to <u>24 claim 20</u>, wherein said gene of interest encodes a protease or a peptidase or an anti-microbial peptide or a vitamin.

26. (currently amended) A The nucleic acid according to any one of claims 19 to 25 claim 19, wherein said CodY target sequence comprises a sequence as depicted in Figure 6A or a functional equivalent and/or a functional fragment thereof.

27. (currently amended) A The nucleic acid according to any one of claims 19 to 26 claim 19, wherein said CodY target sequence comprises a sequence as depicted in Figure 6B or a functional equivalent and/or a functional fragment thereof.

28. (currently amended) A The nucleic acid according to any one of claims 19

- to 27 <u>claim 19</u>, wherein said CodY target sequence comprises a sequence as depicted in Table 4, Table 4A, Table 5, Table 6, Table 7 and/or Table 8, or a functional equivalent and/or a functional fragment thereof.
- 29. (currently amended) A The nucleic acid according to any one of claims 19 to 28 claim 19, wherein said CodY target sequence comprises an ATGTTCA sequence and an inversely repeated ATGTTCA sequence.
- 30. (currently amended) **A The** nucleic acid according to claim 29, wherein said nucleic acid sequence comprises a spacing of about 9 base pairs between said ATGTTCA sequence and said inversely repeated ATGTTCA sequence.
- 31. (currently amended) **A The** nucleic acid according to claim 29 **er-30**, wherein said nucleic acid sequence comprises the sequence

 ATGTTCAGAAAATTCATGAACAT.
- 32. (currently amended) A vector comprising a nucleic acid according to any one of claims 19 to 31 claim 19.
- 33. (currently amended) A gene delivery vehicle comprising a nucleic acid
 according to any one of claims 19 to 31 claim 19 or a vector according to claim
 32.

- 34. (currently amended) A host cell comprising a nucleic acid according to any one of claims 19 to 31 claim 19, a vector according to claim 32 or a gene delivery vehicle according to claim 33.
- 35. (original) A host cell according to 34 which is a cell from a (dairy) food production species.
- 36. (currently amended) **A The** host cell according to claim 34 or 35, wherein said species is selected from a Lactococcus or Lactobacillus or Streptococcus or Leuconostoc or Pediococcus or Bifidobacterium or Carnobacterium or Propionibacterium.
- 37. (currently amended) Use A method for using of at least one CodY target sequence for regulating the expression of a gene of interest.
- 38. (currently amended) **Use <u>The method</u>** according to claim 37, wherein said target sequence comprises a sequence as depicted in Figure 6A, Figure 6B, Table 4, Table 4A, Table 5, Table 6, Table 7 and/or Table 8, or a functional equivalent and/or a functional fragment thereof.
- 39. (currently amended) Use The method according to claim 37 or 38, wherein

said CodY target sequence comprises an ATGTTCA sequence and an inversely repeated ATGTTCA sequence.

- 40. (currently amended) **Use <u>The method</u>** according to any one of claims 37 to **39** <u>claim 37</u>, wherein said nucleic acid sequence comprises a spacing of about 9

 base pairs between said ATGTTCA sequence and said inversely repeated

 ATGTTCA sequence.
- 41. (currently amended) Use The method according to any one of claims 37 to 40 claim 37, wherein said nucleic acid sequence comprises the sequence ATGTTCAGAAAATTCATGAACAT.
- 42. (currently amended) A method for producing a (dairy) food product comprising a step wherein a nucleic acid according to any one of claims 19 to claim 19, a vector according to claim 32, a gene delivery vehicle according to claim 33 or a host cell according to any one of claims 34 to 36 claim 34 is used.
- 43. (currently amended) **A** <u>The</u> method according to claim 42, wherein said dairy product is a cheese or a fermented milk product.
- 44. (original) A cheese or a fermented milk product obtainable by a method

according to claim 42 or 43.

45. (original) A method for at least in part preventing the formation of off-flavours during a process for the production of a (dairy) food product, comprising providing at least one CodY target sequence upstream of a gene which product is, directly or indirectly, involved in the formation of off-flavours.

46. (currently amended) Use A method for using of a nucleic acid according to any one of claims 19 to 31 claim 19, or a vector according to claim 32 or a gene delivery vehicle according to claim 33 or a host cell according to any one of claims 34 to 36 claim 34 for increasing the expression of a gene of interest in a stationary phase culture or equivalents of said culture.

- 47. (currently amended) Use The method according to claim 46, wherein said gene of interest comprises a gene encoding an antimicrobial substance, such as a bacteriocin.
- 48. (currently amended) **Use <u>The method</u>** according to claim 46, wherein said gene of interest comprises a gene encoding a flavour compound, vitamin, or a proteinaceous molecule involved in cell lysis.
- 49. (currently amended) Use A method for using of a nucleic acid according to

any one of claims 19 to 31 claim 19 or a vector according to claim 32 or a gene delivery vehicle according to claim 33 or a host cell according to any one of claims 34 to 36 claim 34 for decreasing the expression of a gene in a stationary phase culture or equivalents of said culture.

- 50. (currently amended) **Use <u>The method</u>** according to claim 49, wherein an antisense nucleic acid sequence of an undesired gene is provided in operable linkage with a promoter and at least one CodY target sequence.
- 51. (currently amended) Use <u>The method</u> according to claim 49 or 50, wherein said gene is involved with acidification.